

# ClamAV Plugin

Plugin integrating the ClamAV antivirus with allow to filter mail attachments.

## Requirements

- i-MSCP versions  $\geq 1.1.0$
- See installation section for required software packages.

## Existing milter configurations

This plugin will not check for an existing milter configuration in the Postfix main.cf file. If you need to add an extra milter, please ask in our forum!

## Installation

### 1. Install the needed Debian / Ubuntu packages

Installation of clamav packages:

```
# aptitude update
# aptitude install clamav clamav-base clamav-daemon clamav-freshclam clamav-milter
```

Stop the clamav-freshclam daemon if it is running:

```
# service clamav-freshclam stop
```

Update the virus database:

```
# freshclam
```

Start the clamav-freshclam daemon:

```
# service clamav-freshclam start
```

Restart the clamav-daemon:

```
# service clamav-daemon restart
```

### 2. Get the plugin from Plugin Store

<http://i-mscp.net/filebase/index.php/Filebase/>

### 3. Plugin upload and installation

- Login into the panel as admin and go to the plugin management interface
- Upload the ClamAV plugin archive
- Install the plugin

## Update

### 1. Get the plugin from Plugin Store

<http://i-mscp.net/filebase/index.php/Filebase/>

### 2. Backup your current plugin config

```
# plugins/ClamAV/config.php
```

### 3. Plugin upload and update

- Login into the panel as admin and go to the plugin management interface
- Upload the ClamAV plugin archive
- Update the plugin list

## Configuration

For the different configuration options please check the plugin config file.

```
# plugins/ClamAV/config.php
```

After you made your config changes, don't forget to update the plugin list.

- Login into the panel as admin and go to the plugin management interface
- Update the plugin list

## Testing

### Eicar-Test-Signature

Send yourself a mail from another account (e.g. gmail or any other freemailer) with the following content in the message:

```
X50!P%AP[4\PZX54(P^)7CC)7}$EICAR-STANDARD-ANTIVIRUS-TEST-FILE!$H+H*
```

Note that this should be reproduced in one line, without whitespace or line breaks.

## Authors

- Sascha Bay [info@space2place.de](mailto:info@space2place.de)
- Rene Schuster [mail@reneschuster.de](mailto:mail@reneschuster.de)

From:

<https://wiki.i-mscp.net/> - **i-MSCP Documentation**

Permanent link:

<https://wiki.i-mscp.net/doku.php?id=plugins:clamav&rev=1411929297>

Last update: **2014/09/28 19:34**

