

Howto Compile PHP 5.2.x

Introduction

This howto explain how to compile and install PHP5.2.x on Debian, to be run as a FastCGI application (Fcgid). This howto also explain how to register this PHP version through the [PhpSwitcher](#) plugin.

Creating build environment

```
# cd /usr/local/src
# mkdir -p php_buildenv/php52 && cd php_buildenv/php52
# apt-get update && apt-get install build-essential
```

Installing build dependencies

```
# apt-get build-dep php5
# apt-get install libfcgi-dev libfcgi0ldbl libjpeg62-dbg libmcrypt-dev \
libssl-dev libc-client2007e libc-client2007e-dev libpq5
```

Needed for php-imap module

```
# For X86_64 architectures
ln -s /usr/lib/libc-client.a /usr/lib/x86_64-linux-gnu/libc-client.a

# For i386 architectures
ln -s /usr/lib/libc-client.a /usr/lib/i386-linux-gnu/libc-client.a
```

Fetching PHP sources

```
# wget http://museum.php.net/php5/php-5.2.17.tar.gz
# tar -xzf php-5.2.17.tar.gz
# cd php-5.2.17
```

The sources must be patched

More information about why the sources must be patched are needed.

```
curl
"https://bugs.php.net/patch-display.php?bug_id=54736&patch=debian_patches_disable_SSLv2_for_openssl_1_0_0.patch&revision=1305414559&download=1" -s -o
debian_patches_disable_SSLv2_for_openssl_1_0_0.patch.patch
patch -p1 < debian_patches_disable_SSLv2_for_openssl_1_0_0.patch.patch
```

Configuration

Add missing configuration options for PDO (MySQL)

For 32 bits operating systems

```
# ./configure \
--prefix=/opt/php-fcgid/5.2 \
--with-config-file-scan-dir=/opt/php-fcgid/5.2/conf.d \
--with-pdo-pgsql \
--with-zlib-dir \
--with-freetype-dir \
--enable-mbstring \
--with-libxml-dir=/usr \
--enable-soap \
--enable-calendar \
--with-curl \
--with-mcrypt \
--with-zlib \
--with-gd \
--with-pgsql \
--disable-rpath \
--enable-inline-optimization \
--with-bz2 \
--with-zlib \
--enable-sockets \
--enable-sysvsem \
--enable-sysvshm \
--enable-pcntl \
--enable-mbregex \
--enable-exif \
--enable-bcmath \
--with-mhash \
--enable-zip \
--with-pcre-regex \
--with-mysql \
--with-mysql-sock=/var/run/mysqld/mysqld.sock \
--with-jpeg-dir=/usr \
```

```
--with-png-dir=/usr \  
--enable-gd-native-ttf \  
--with-openssl \  
--enable-ftp \  
--with-kerberos \  
--with-mysql=/usr/bin/mysql_config \  
--with-gettext \  
--with-xmlrpc \  
--with-xsl \  
--enable-fastcgi \  
--enable-cgi \  
--enable-force-cgi-redirect \  
--with-imap \  
--with-imap-ssl \  
--with-libdir=/lib/i386-linux-gnu
```

For 64 bits operating systems

```
# ./configure  
--prefix=/opt/php-fcgid/5.2 \  
--with-config-file-scan-dir=/opt/php-fcgid/5.2/conf.d \  
--with-pdo-pgsql \  
--with-zlib-dir \  
--with-freetype-dir \  
--enable-mbstring \  
--with-libxml-dir=/usr \  
--enable-soap \  
--enable-calendar \  
--with-curl \  
--with-mcrypt \  
--with-zlib \  
--with-gd \  
--with-pgsql \  
--disable-rpath \  
--enable-inline-optimization \  
--with-bz2 \  
--with-zlib \  
--enable-sockets \  
--enable-sysvsem \  
--enable-sysvshm \  
--enable-pcntl \  
--enable-mbregex \  
--enable-exif \  
--enable-bcmath \  
--with-mhash \  
--enable-zip \  
--with-pcre-regex \  
--with-mysql \  
--with-mysql-sock=/var/run/mysqld/mysqld.sock \  
--with-jpeg-dir=/usr \  

```

```
--with-png-dir=/usr \  
--enable-gd-native-ttf \  
--with-openssl \  
--enable-ftp \  
--with-kerberos \  
--with-mysqli=/usr/bin/mysql_config \  
--with-gettext \  
--with-xmlrpc \  
--with-xsl \  
--enable-fastcgi \  
--enable-cgi \  
--enable-force-cgi-redirect \  
--with-imap \  
--with-imap-ssl \  
--with-libdir=/lib/x86_64-linux-gnu
```

Note: If you need more modules, you must tune the configuration options and install needed libraries.

Compilation and installation

```
# make  
# make install
```

Checking

Test your php binary by running the following command:

```
# /opt/php-fcgid/5.2/bin/php-cgi -v
```

which should give a result such as (look for the fcgi part):

```
PHP 5.2.17 (cgi-fcgi) (built: Mar  6 2014 17:13:47)  
Copyright (c) 1997-2010 The PHP Group  
Zend Engine v2.2.0, Copyright (c) 1998-2010 Zend Technologies
```

Registration through PhpSwitcher

1. Login into the panel as administrator and go to the PhpSwitcher interface (settings section)
2. Create a new PHP version with the following parameters:

Parameter	Value	Description
Name	PHP5.2 (Fcgid)	This is the unique name for the new PHP version

Parameter	Value	Description
PHP binary path	/opt/php-fcgid/5.2/bin/php-cgi	This is the path of the PHP binary
PHP configuration directory	/var/www/fcgi	This is the directory in which customers's PHP configuration files are stored

From:

<https://wiki.i-mscp.net/> - **i-MSCP Documentation**

Permanent link:

<https://wiki.i-mscp.net/doku.php?id=plugins:phpswitcher:fcgid:php5.2&rev=1398303259>

Last update: **2014/04/24 02:34**

